

INDEX

A

- Acarina, 38
- Acarines, hosts, 14, 15
- Achromycin, 129
- Adhesin phenomenon, 22
 - test, 123
- Agglutination test, borreliæ, 123
 - difficulties, 22
- Animal(s), *Borrelia anserina*, 142
 - domestic, borreliosis, 137, 138
 - inoculation, 121, 122
 - unorthodox routes, 75
- Anopheles albopictus, borreliæ, 140
- Anoplura, 32
- Anthorbes, relapsing fever, 128
 - mortality rate, 121
 - reactions, 130
- Antibodies, *Borrelia* 92, 93, 94
 - spinal fluid, 24
 - transplacental, 119, 120
- Anti-Borreliæ agents, 128
- Anxiety, relapsing fever, 105
- Apes, borreliæ, 74
- Aphthous lesions, borreliæ, 144
- Apodemus agrarius, borreliæ, 70
- Ardent fever, 5
- Argas, borreliæ, 70
 - minutus, 139
 - persicus, 139
 - borreliæ, 70
 - Borrelia hispanica*, 58
 - size, 31 Table 2
 - reflexus, 139
 - borreliæ, 70
- Argasidae, 39
- Arsenicals, relapsing fever, 128
- Arthropods, borreliæ, 69
 - borreliæ-carrying, nicknames, 31
 - Table 2
- Aureomycin, relapsing fever, 129

167

B

- Bats, borreliæ, 66, 88
- Borrelia hispanica*, 47
 - Ornithodoros*, 57
- Bedbugs, relapsing fever, 69
- Beri-beri, relapsing fever, 105
- BHC, Hce, 133
 - ticks, 133, 134
- Bibo, 31
- Bilious lymphoid, 3, 6, 103
- Birds, borreliosis, 139-142
- Blood, *Borrelia* in, 4, 71
 - history, 6 ff
 - chemistry, relapsing fever, 96, 108
 - Table 4
 - circulation, relapsing fever, 95
 - darkfield examination, 121
 - picture, relapsing fever, 94, 95, 107, 108, Table 4, 109
 - relapsing fever, 121
 - stains, *Borrelia*, 24, 25
 - transfusion, borreliæ, 71
- "Blue" tick, 139
- Boophilus microplus*, borreliosis, 137
- Borrelia*, adaptation, 20
 - adhesin phenomenon, 22
 - test, 123
 - egyptica, 36
 - agglutination tests, 123
 - agent-vector specificity, 14
 - altitude, 65, 66
 - Americas, 64
 - animal inoculation, 121, 122
 - anserina, 139-142
 - clinical course, 141, 142
 - culture, 140
 - distribution, 142
 - morphology, 140
 - pathology, 141
 - survival, 140

- types, 140
 - vaccines, 142
- antibodies, 22, 23, 92, 93, 94
 - spinal fluid, 94
 - antigens, 20 ff
 - preparation, 124
 - stability, 37, 38
 - trypanosomes, 77
- apes, 74
- Argas, 70, see Argas
 - armenica, 63
 - arthopods, 69
 - balyonensis, 58
 - vector, 46
 - berbera, 36
 - biochemistry, 18, 19
 - biology, 11-15
 - blood, 4, 71
 - cultures, 27
 - transfusions, 71
 - borreliolysin test, 124, 125, 126
 - brasilensis, 67, 68
 - vector, 46
 - buccalis, 143
 - carteri, 36
 - caucasica, 12
 - Ornithodoros verrucosus*, 63
 - chemistry, 18, 19
 - classification, 12, 13, 14, 15
 - animals, 71-76
 - chemical, 19
 - serologic, 19 ff
 - vectors, 30 ff
 - Coxiella burnetii*, 77
 - Coxsackie, 77
 - crabs, 57
 - crociduræ, blood forms, 17 see also Crociduræ group
 - Borrelia duttonii*, cross-reactions, 58
 - group 12, 37, see Crociduræ group
 - maintenance, 30
 - Ornithodoros erraticus sonrai*, 58, 59, 60
 - pathogenicity, 59
 - transmission, 37, 55, 60
 - Trypanosoma, interference, 77
 - cross-protection, 22
 - cross-reactions, 22, 77, 126
 - culture, chick embryos, 27
 - in vitro, 26
 - methods, 26-30
 - darkfield, 15
 - examination, 121
 - dextrose utilization, 18, 19
 - diagnosis, differential, interference phenomenon, 76, 77
 - dipodilli, 58, 59, 60
 - pathogenicity, 13
 - distribution, 12
 - dugesii, 12
 - vector, 46
 - duttonii, 12
 - adhesion, 22
 - antibiotic sensitivity, 19
 - bedbugs, 69, 70
 - blood forms, 17
 - blood picture, 95
 - Borrelia crociduræ* cross-reaction, 58
 - Borrelia dipodilli*, 60
 - Borrelia tilia*, 63, 64
 - chemistry, 19
 - chick embryo culture, 27
 - chickens, 74
 - chloramphenicol, 129
 - Chloromycetin, 129
 - cross-protection, 22
 - cross-reactions, 126
 - culture, 26
 - distribution, 7
 - eye inoculation, 75
 - guinea pigs, 74
 - hedgehogs, 75
 - infections, 47, 92
 - interference phenomenon, 76, 77
 - life cycle, 54
 - Liponyssus nagayoi*, 70
 - maintenance, 29, 30
 - metacyclic, 37
 - mice, 73
 - monkeys, 74
 - morphology, 47
 - negative phase, 36
 - Ornithodoros moubata*, 46 ff
 - Ornithodoros savignyi*, 68
 - Ornithodoros turicata*, 65
 - oxytetracycline, 129
 - pathogenicity, 13
 - psychoneuroses, 105
 - rabbits, 73
 - rat(s), 73
 - inoculation, 75
 - mice, 70
 - reinfection, 119
 - serum effect, 55
 - spinal fluid, 97
 - strains, 21, 22
 - streptomycin, 128
 - structure, 19

- survival, 69
- in vitro, 28
- symptoms, 102
- Terramycin, 129
- transmission, 37, 54
- Ornithodoros, 49, 51
- transovarian, 54
- Trypanosoma, interference, 77
- var. crociduræ, pathogenicity, 13
- vectors, 38
- virulence in animals, 75, 76
- loss, 55
- electric mobility, 19
- electronmicroscopy, 16, 17
- environment, 28
- epidemiology, 77 ff
- evolution, 41
- eye, 82
- fevus, 71
- fibrosis, 17
- flagella, 15, 16
- fluorescent antibody studies, 25
- microscopy, 121
- galliarum, transmission, 140
- Graingeri, 68
- incubation period, 100
- granula theory, 35
- granules, 17, 34, 35, 37
- pathogenicity, 26
- hermsii, 12
- hamsters, 74, 75
- infection, 36
- Ornithodoros hermsii, 65
- pathogenicity, 13, 14
- severity, 99
- transmission, 65
- variants, 21
- hispanica, 12
- bedbugs, 70
- blood forms, 17
- borreliolysin test, 124
- dogs, 74
- eye disturbances, 107
- eye inoculation, 75
- guinea pigs, 74, 75, 93
- hedgheggs, 75
- hepatomegaly, 103
- hosts, 58, 61
- infection, 56 ff
- lysins, 23, 24
- maintenance, 29
- mice, 73
- monkeys, 74
- nervous symptoms, 105

- Ornithodoros erraticus erraticus, 56, 57, 58
- Ornithodoros foleyi, 68
- Ornithodoros moubata, 54
- Ornithodoros savignyi, 68, 69
- pathogenicity, 13
- preservation, 70
- rabbits, 73
- rat inoculation, 75
- severity, 99
- spleen, 103
- spread, 86
- strains, 56
- transmission, 37
- Trypanosoma, interference, 77
- vaccines, 132
- vector, 46, 55
- virulence in animals, 75, 76
- hosts, see individual organisms, ticks, and lice
- hyos, 138
- identification, 13
- immobilizane(s), 23
- test, 125, 126
- immunity, 20, 24, 55
- asymmetric, 22
- one-sided, 21
- immunology, 19-24
- infection, lice, 35
- prevention, 132 ff
- re-infection, 75
- infection with, mechanism, 35
- Kochi, 36
- latyschewii, 12
- guinea pigs, 74
- one-day fever, 99
- Ornithodoros tartakowskyi, 62, 63
- resistance to, 62, 63
- latyshevii, synonyms, 11
- Leptospira, 77
- lice, 30, 31
- cycle, 34
- life cycle, louse, 34
- tick, 40
- localizations, 92
- locomotion, 17, 18
- longevity, 28, 29, 30
- louse relationship, 30 ff
- lysins, 23, 24
- maintenance in nature, 86
- in vitro, 28
- organs, 28, 29, 30
- vectors, 28, 29, 30
- malaria, 77
- mazzotii, 12

- sp. nov., 66
- vector, 14
- menstrual blood, 71
- merions, 58, 59, 60
- bedbugs, 70
- eye inoculation, 75
- localizations, 92
- pathogenicity, 13
- metacyclic forms, 35, 36
- theory, 17, 18
- microti, 58, 59
- hosts, 61
- Ornithodoros canestrini, 69
- pathogenicity, 13
- transmission, 37, 44
- milk (mother's), 71
- monkeys, 74
- morphology, 13, 15, 16
- motion, 18
- mucous membranes, 143-146
- multiplication, 17, 18
- ticks, 28
- muramic acid, 19
- mutations, 14, 15
- neurophilis, 66, see Borrelia venezolensis
- neurotropism, 92, 97
- normandi, 44
- vector, 46
- novyi, 36
- dextrose utilization, 18, 19
- flagella, 15, 16
- pathology, 93
- organotropism, 40
- Ornithodoros moubata, 86, 87
- parkeri, 65, 87
- lalale, 66, 67
- parkeri, 12
- adhesin, 22
- chemistry, 19
- hamsters, 75
- Ornithodoros parkeri, 65
- pathogenicity, 13, 14
- pathology, 92 ff
- periodicity, cause, 93
- persica, 12
- bedbugs, 70
- bleeding, 92
- case history, 115
- first attack, 110
- guinea pigs, 74
- hedgheggs, 75
- hosts, 60, 61
- Ornithodoros canestrini, 69
- Ornithodoros contseps, 68
- Ornithodoros tholozani, 60, 61
- pathogenicity, 13
- pathology, 93
- predisposition to, 92
- preservation, 29
- resistance to, 63
- severity, 99
- strains, 61
- survival, 90
- in vitro, 28
- transmission, 58, 60, 61, 68
- ticks, 29
- trypanosoma, interference, 77
- variants, 20, 60
- vectors, 60, 61
- virulence in animals, 76
- phagocytes, 22
- phagocytosis, 94
- phase microscopy, 18
- variants, 20, 21
- variation, 19
- phases, 19, 20
- in lice, 34, 35
- phocytosis, 22, 94
- portals of entry, 71, 82
- Proteus OX, 77
- cross-reactions, 126
- premunition, 24
- preservation, in brain, 29
- protection test, 19
- prostatic fluid, 71
- queenslandica, 68
- recurrents, 12
- animal susceptibility, 27
- bedbugs, 69
- borreliolysin test, 124
- case history, 113, 114
- chick embryo culture, 27
- cross-protection, 22
- cultures, 26
- dehydrogenase activity, 19
- epidemics, 83
- guinea pigs, 73, 74
- hamsters, 75
- history, 6 ff
- lice, 30 ff
- fate of, 34
- maintenance, 30
- mice susceptibility, 72
- monkeys, 74
- Ornithodoros savignyi, 69
- Ornithodoros tartakowskyi, 62
- pathology, 93
- preservation, 29, 70

- propagation, 14
- rabbis, 73
- rats, 73
- reinfection, 119
- relapsing fever, 64
- severity, 99
- spinal fluid, 97
- spleen, 103
- spread, 86
- squirrel inoculation, 75
- strains, 36
- survival, 61
 - in vitro, 28
- variants, 66
- virulence in animals, 75, 76
- refrignens, 143
- infections, 146
- relapse, chemistry, 19
- Rickettsia burneti, 77
- Rickettsia prowazeki, cross-reactions, 127
- Rhipicephalus sanguineus, 70
- rossi, 36
- serologic tests, 123
- difficulties, 22
- serology, 19-24
- serotypes, 20
- skin, 71
- sogisana, 44, 60, 61
- species, 36, 46
- explanation, 30
- number of, 11
- theory, 118
- Spirillum minus, 77
- staining, 24, 25
- strains, 12, Table 1, 21, 44
- differentiation, animals, 75, 76
- Stomoxys calcitrans, 70
- squilla, 138
- survival, 47
 - in vectors, 26, 29, 30
 - in vitro, 28
- ticks, 28
- synonyms, 13
- tataje, hosts, 66
- taxonomy, 11-15
- discussion, 11
- temperature effect, 28
- theileri, 137, 138
- tick-borne, transmission to lice, 37, 38
- variants, 21
- tick relationships, 14, 15, 38 ff
- ticks, 14, 46 ff
- specificity, 44
- survival, 28

- tillae, blood forms, 17
- Ornithodoros zumpti, 63, 64
- tissue, 121
- cultures, 27
- stain, 25, see Krajiian stain
- transmission, 3, 14, 15, 37, 46, 71, 86
- coxal fluid, 46
- lice, 30, 31 ff 34, 80, 86, 87
- ticks, 87
- transspinal infection, 71
- turicatae, 12, 64, 65
- adhesion, 22
- bedbugs, 69
- case history, 116, 117
- cotton rats, 75
- hamsters, 75
- incubation period, 100
- infection, 36
- life span, 56
- maintenance, 30
- Ornithodoros parkeri, 65
- pathogenicity, 13, 14
- relapse, 111
- severity, 99
- survival in vitro, 28
- tissue culture, 27
- transmission, 37, 65
- Trypanosoma, interference, 77
- variants, 20
- virulence in animals, 76
- urine, 71
- uzbekistana, 44, 60
- variants, 20 ff, 30, 118
- vectors, 12, 14, 30-76
- unusual, 69, 70
- virulence in animals, 75
- venezolensis, 12
- Ornithodoros parkeri, 65
- Ornithodoros turicata, 65
- Ornithodoros venezolensis, 67
- pathogenicity, 14
- severity, 99
- vectors, 46, 70
- virulence in animals, 76
- venezolensis, see Borrelia venezolensis
- vincentii, 143 ff
- antigens, 144
- culture, 143
- lysozyme, 144
- virulence, 28
- Borrelidin test, Borrelia anserina, 140
- Borrelia sensu lato, 124, 125, 126
- Borrellosis, see also Borrelia and Relapsing fever
- attitude, 65, 66

- animals, 89, 137, 138
 - antibodies, natural, 24
 - avian, 139-142
 - clinical course, 141, 142
 - mortality rate, 142
 - pathology, 141
 - prevention, 142
 - treatment, 142
 - cattle, 137
 - culture methods, 26-30
 - diet, 92
 - endemic, 11, see Relapsing fever, tick-borne
 - fowl, clinical course, 141, 142
 - pathology, 141
 - transmission, 70
 - human, 3 ff, see Relapsing fever
 - mammals, 90
 - natural infections, Ornithodoros talaje, 66
 - Ornithodoros hermsi, 65
 - pathology, 91-97
 - phagocytosis, 92
 - predisposition, 92
 - protein deficiency, 92
 - rodents, 58, 59, 60
 - reticuloendothelial system, 92
 - thiamine deficiency, 92
 - splenectomy, 92
 - transmission, 37, see also Borrelia, transmission
 - Brain tumors, Borrelia, 97
 - Brucella, Trypanosoma, 76, 77
 - Bu, 31
- C**
- Camels, borreliae, 138
 - Carapata, 3
 - Case histories, 112-117
 - Cattle, borreliosis, 137
 - tick fever, 137
 - Chabaud, chick embryo cultures, 27
 - Chen, chick embryo culture, 27
 - Chick embryo antigen, Borrelia, 124
 - cultures, 27
 - Chickens, borreliae, 140
 - Borrelia anserina, penicillin, 142
 - Borrelia duttonii, 74
 - Chloramphenicol, relapsing fever, 129
 - Chlorotetracycline, relapsing fever, 129
 - Chorine and Crogue cultures, Borrelia, 26
 - Cimet fectularis, relapsing fever, 69
 - rotundatus, borreliae, 70
 - Cobalt, radioactive, ticks, 134, 135
 - Coles stain, 25
- D**
- Complement fixation, Borrelia, 123, 124
 - fixing antibodies, 24
 - Complications, relapsing fever, 104, 118, 119
 - Confusional complex, relapsing fever, 105
 - Conjunctivitis, relapsing fever, 107
 - Constipation, relapsing fever, incidence, 103
 - Convalescent serum, relapsing fever, 130
 - Coxiella burneti, Borrelia, 77
 - Coxsackie, borreliae, 77
 - Crabs, Ornithodoros, 57
 - Cristispira, electron microscopy, 17
 - Cricetus barabensis, borreliae, 70
 - triton, borreliae, 70
 - Crisis, relapsing fever, 101, 110
 - Crociidae group, guinea pigs, 74
 - hosts, 58, 59
 - incubation period, 100
 - monkeys, 74
 - Ornithodoros erraticus sonrai, 58, 59, 60
 - relapses, 111
 - severity, 99
 - strains, Borrelia, 37
 - subgroup, 13
 - mortality rate, 121
 - Cross reactions, relapsing fever, 126
 - Crystal violet stain, 25
 - Cuencas, 31
 - Culex, Borrelia anserina, 140
 - Culture, chick embryos, 27
 - in vitro, Borrelia, 26
 - methods, Borrelia, 26-30
 - Curdud, 31
- D**
- Dark field examination, 121
 - DDT, lice, 133
 - ticks, 134
 - Dermatansus gallinae, 139, 140
 - Developer, Krajiian stain, 147
 - Diagnosis, differential, relapsing fever, 127
 - laboratory, relapsing fever, 121-127
 - Diazonium polychlorides, lice, 133
 - Differential count, relapsing fever, 108
 - Dimenhydrinate, relapsing fever, 132
 - Dogs, Borrelia, 74
 - Dormice, Borrelia hispanica, 57
 - Dramamine, relapsing fever, 132
 - Drugs, prophylaxis, relapsing fever, 132
 - Dryomys nitedullus, Borrelia, 62
 - Du stain, 24

